

## 2 Ton Hot Asphalt Hauler

2 Ton

HMT4000



This 2 ton capacity asphalt hauler is ideal for small to medium sized patching jobs. The heated vat is fully insulated for optimum efficiency. The chute-type vat design allows the hot asphalt to be deposited closer to the shoveling platform to reduce operator fatigue.

### Features & Benefits

- Heavy duty channel iron frame.
- Long lasting all welded construction – not bolted.
- Industrial grade axle with leaf spring suspension and electric brakes.
- Adjustable hitch with 3" pintle eye and safety chains.
- Thick sheet metal panels exceed the standard used in competitive products.
- Fully insulated hopper.
- Safety burner easily accessible for lighting and service.
- Guarded, easy to read material thermometer.
- Heated shoveling platform.
- Ergonomically designed handles lock open to safely form a chute for loading of hot mix material.
- Heavy duty adjustable guillotine style material unloading door.
- Ease of unloading is assisted by the hopper shaped design of the material bin.
- Conveniently located tool holders.
- 100 lb. propane bottle holder comes complete with hold down straps.
- Conveniently located heavy duty, adjustable screw type jack.
- All necessary stop and directional signal lights.
- Increased corrosion resistance with epoxy primer and standard blue paint finish.

#### Options

- Oil jacketed heating system
- Skid mounted – no chassis.
- Automatic temperature control.
- 200,000 BTU hand held vapour propane torch with 15 ft. hose.
- 30 gallon tack tank, heated or non-heated.
- Electric overnight heater.
- Electric breakaway switch with battery.
- Hydraulic surge brakes.
- 10 lb. fire extinguisher with bracket.
- Heat grid to improve heat distribution throughout the mix.
- Gas powered tack sprayer with flushing system.
- Diesel fired heating systems.
- Rinse tank.
- Strobe light.
- Toolbox.
- Slow moving vehicle sign.
- Customer's choice of paint colour.



---

<b>Model</b>	<b>HMT4000</b>
<b>Shipping Weight</b>	2100 lb (954 kg)
<b>Hot Mix Capacity</b>	4000 lb (1818 kg) 2 Ton
<b>Dimensions</b>	
Overall Length:	129" (328 cm)
Overall Width:	81" (205 cm)
Overall Height:	75" (191 cm)
<b>Hopper Opening</b>	
Width:	65" (165 cm)
Length:	55" (139 cm)
<b>Unloading Door Opening</b>	
Height:	16" (40 cm)
Width:	21" (53 cm)
<b>Shoveling Platform</b>	
Height from ground:	26" (66 cm)
Width:	21" (53 cm)
Depth:	17" (43 cm)
<b>Propane Burner</b>	100,000 BTU vapour propane burner with out-fire protection.
<b>Suspension</b>	
Axle	Single
Capacity	6000 lb (2727 kg)
Tires	(2) 235/85R16, 8-bolt

*Specifications subject to change without notice.*